


ECE TYPE-APPROVAL CERTIFICATE



Communication concerning:² ~~Approval granted~~
~~Approval extended~~
~~Approval refused~~
~~Approval withdrawn~~
~~Production definitively discontinued~~

of a type of safety glazing material pursuant to Regulation No. 43.


Approval No: E24*43R01/04*0093*00

- | | |
|--|---|
| 1. Class of safety glazing material: | <i>Laminated glass windscreens</i> |
| 2. Description of the type of glazing: | <i>A-laminated glass windscreens-6,76</i> |
| 3. Trade names or marks: | 
AUTOGLASS OTOMOTIV GLASS GLASS |
| 4. Manufacturer's name and address: | <i>A OTOMOTIV CAM SAN. TIC. A.Ş.</i>
<i>Fatih Sultan Mehmet Bulvarı Macun</i>
<i>Mah. 202.Sk/14713</i>
<i>Yenimahalle/ANKARA</i> |
| 5. If applicable, name and address of manufacturer's representative: | <i>N/A</i> |
| 6. Submitted for approval on: | <i>04.05.2018</i> |
| 7. Technical service responsible for conducting approval tests: | <i>TÜV AUSTRIA TURK</i>
<i>Koşuyolu Mah. Katip Salih Sok.</i>
<i>No:69 Kadıköy İstanbul</i> |
| 8. Date of report issued by that service: | <i>27.04.2018</i> |
| 9. Number of report issued by that service: | <i>18-TUV-ATR-EU-0060</i> |



NSAI
Certification

Approval No: E24*43R01/04*0093*00

10. Approval is granted/~~refused~~/~~extended~~/~~withdrawn~~: *Granted.*
11. Reason(s) for extension of approval: *N/A*
12. Remarks: *N/A*
13. Place: *Dublin.*
14. Date: *05th July, 2018.*
15. Signature: 



16. The list of documents filed with the administrative service which has granted approval and available on request is annexed to this communication.
- list of components, duly identified, constituting the glass;
 - list of files deposited with the Administrative Service which has granted type approval, and which can be obtained upon request.

Annex 1 - Appendix 3

Laminated – glass windscreen
(Principal and secondary characteristics as defined in annexes 6, 8 or 9 to Regulation No. 43)

Principal characteristics :

Number of layers of glass:	2
Number of layers of interlayer:	1
Nominal thickness of the windscreen:	6.76 mm
Nominal thickness of interlayer(s):	0.76 mm
Special treatment of glass:	N/A
Nature and type of interlayer(s):	PVB
Nature and type of plastics coating(s):	N/A
Nominal thickness of plastics coating(s):	N/A
Colouring of interlayer (total/partial):	Clear

Secondary characteristics :

Nature of the material (plate, float, sheet glass):	Float
Colouring of glass (colourless/tinted):	Clear
Colouring of plastics coating(s):	(Combinations Clear+PVB+Clear ; Green+PVB+Clear)
Conductors incorporated (yes/no):	No
Opaque obscuration incorporated (yes/no):	Yes.
Remarks:	N/A