




ECE TYPE-APPROVAL CERTIFICATE



Communication concerning:² ~~Approval granted~~
~~Approval extended~~
~~Approval refused~~
~~Approval withdrawn~~
~~Production definitively discontinued~~


of a type of safety glazing material pursuant to Regulation No. 43.

Approval No: E24*43R01/04*0092*00

- | | | |
|----|---|---|
| 1. | Class of safety glazing material: | <i>Laminated glass windscreens</i> |
| 2. | Description of the type of glazing: | <i>A-laminated glass windscreens-4.96</i> |
| 3. | Trade names or marks: | 
AGLASS |
| 4. | Manufacturer's name and address: | <i>A OTOMOTİV CAM SAN. TİC. A.Ş.
Fatih Sultan Mehmet Bulvarı Macun
Mah. 202.Sk/14713
Yenimahalle/ANKARA</i> |
| 5. | If applicable, name and address of manufacturer's representative: | <i>N/A</i> |
| 6. | Submitted for approval on: | <i>04.05.2018</i> |
| 7. | Technical service responsible for conducting approval tests: | <i>TÜV AUSTRIA TURK
Koşuyolu Mah. Katip Salih Sok.
No:69 Kadıköy İstanbul</i> |
| 8. | Date of report issued by that service: | <i>27.04.2018</i> |
| 9. | Number of report issued by that service: | <i>18-TUV-ATR-EU-0059</i> |



Approval No: E24*43R01/04*0092*00

- | | | |
|-----|---|------------------------------------|
| 10. | Approval is granted/refused/extended/withdrawn : | <i>Granted.</i> |
| 11. | Reason(s) for extension of approval: | <i>N/A</i> |
| 12. | Remarks: | <i>N/A</i> |
| 13. | Place: | <i>Dublin.</i> |
| 14. | Date: | <i>11th July, 2018.</i> |
| 15. | Signature:  | |



16. The list of documents filed with the administrative service which has granted approval and available on request is annexed to this communication.
- list of components, duly identified, constituting the glass;
 - list of files deposited with the Administrative Service which has granted type approval, and which can be obtained upon request.



Approval No: E24*43R01/04*0092*00

Annex 1 - Appendix 3

Laminated – glass windscreen

(Principal and secondary characteristics as defined in annexes 6, 8 or 9 to Regulation No. 43)

Principal characteristics :

Number of layers of glass:	2
Number of layers of interlayer:	1
Nominal thickness of the windscreen:	4.96 mm ± 0.4 mm
Nominal thickness of interlayer(s):	0.76 mm
Special treatment of glass:	N/A
Nature and type of interlayer(s):	PVB
Nature and type of plastics coating(s):	N/A
Nominal thickness of plastics coating(s):	N/A
Colouring of interlayer (total/partial):	Clear

Secondary characteristics :

Nature of the material (plate, float, sheet glass):	Float
Colouring of glass (colourless/tinted):	Clear
Colouring of plastics coating(s):	(Combinations Clear+PVB+Clear ; Green+PVB+Clear)
Conductors incorporated (yes/no):	No
Opaque obscuration incorporated (yes/no):	Yes.
Remarks:	N/A